



SHENZHEN GREATASIA ELECTRONIC CO. LTD

2026

Mini PC

19 Years Tablet PC and Laptop Factory



- **Verified-Pro Supplier**
- **Telephone&Whatsapp: +8613603065220**
- **<http://www.great-asia.com>**
- **BSCI ISO CE ROHS FCC**

TK-M110

MODEL	TK-M110
CPU	i3 10110U/i5 1135G7/ i7 10610U
Base Frequency of CPU (GHz)	i3 10110U:2.1GHz i5 1135G7:2.4GHz i7 10610U:1.8GHz
Maximum Frequency of CPU (GHz)	i3 10110U:4.1GHz i5 1135G7:4.2GHz i7 10610U:4.9GHz
Number of CPU Cores	i3 10110U:2 i5 1135G7:4 i7 10610U:4
Number of CPU Threads	i3 10110U:4 i5 1135G7:8 i7 10610U:8
GPU	Integrated Intel® HD graphics
RAM	2*SODIMM DDR4-2666 4GB
SSD	1*M.2 NVMe; 1*SATA HDD slot
TOOLING	Full aluminium alloy case
I/O port	1*VGA, 1*HDMI 1.4, 2*LAN RJ45, 2*COM, 4*USB2.0, 4*USB3.0 1*Audio, 1*Microphone Expansion: 1*MPCIE support WiFi or 4G LTE (SIM card interface)
Wireless LAN/BT	WIFI5/Bluetooth 4.0
Network	2*RJ45 RTL8111 Gigabit interface
Camera	NO
Speaker	NO
Battery	NO
Ac Adaptor	DC 5.5 12V5A~19v 3.4A
OS	Windows 10/11/Linux
Weight	1.1Kg
Dimension	195*127*57mm
Cooling system	Copper heatsink



TK-M118

MODEL	TK-M118
CPU	J6412/N100
Base Frequency of CPU (GHz)	J6412:2.0GHz N100:1.0GHz
Maximum Frequency of CPU (GHz)	J6412:2.6GHz N100:3.4GHz
Number of CPU Cores	J6412:4 N100:4
Number of CPU Threads	J6412:4 N100:4
GPU	J6412:Integrated Intel® HD graphics N100:Intel® UHD graphics
RAM	1*SO-DIMM DDR4
SSD	1*M.2 NVME , 1*2.5 " SATA drive
TOOLING	Full aluminium alloy chassis
I/O port	1*HDMI, 1*VGA, 2*LAN RJ45,2*COM, 2*USB2.0 4*USB3.0 ,2*USB2.0, 1*Audio 3.5mm jack Expansion : 1*MPCIE for WiFi module or 4G LTE (SIM card interface)
WirelessLAN/BT	WIFI5/Bluetooth 4.0
Network	2*RJ45 Ethernet ports 10/100/1000Mbps GbE
Camera	NO
Speaker	NO
Battery	NO
Ac Adaptor	DC 12V5A 5.5
OS	Windows 10/11 Linux
Weight	650g
Dimension	135*125*40mm
Cooling system	Copper heatsink



TK-M120

MODEL	TK-M120
CPU	J6412/N100
Base Frequency of CPU (GHz)	J6412:2.0GHz N100:1.0GHz
Maximum Frequency of CPU (GHz)	J6412:2.6GHz N100:3.4GHz
Number of CPU Cores	J6412:4 N100:4
Number of CPU Threads	J6412:4 N100:4
GPU	J6412:Integrated Intel® HD graphics N100:Intel® UHD graphics
RAM	1*SO-DIMM DDR4
SSD	1*M.2 NVME , 1*2.5 " SATA drive
TOOLING	Full aluminium alloy chassis
I/O port	1*HDMI, 1*VGA, 2*LAN RJ45,2*COM, 2*USB2.0 4*USB3.0 ,2*USB2.0, 1*Audio 3.5mm jack Expansion : 1*MPCIE for WiFi module or 4G LTE (SIM card interface)
WirelessLAN/BT	WIFI5/Bluetooth 4.0
Network	2*RJ45 Ethernet ports 10/100/1000Mbps GbE
Camera	NO
Speaker	NO
Battery	NO
Ac Adaptor	DC 12V2A 5.5
OS	Windows 10/11 Linux
Weight	800g
Dimension	153*123*43mm
Cooling system	Copper heatsink



TK-M160

MODEL	TK-M160
CPU	i3 1215U/i5 1235U/ i7 1255U
Base Frequency of CPU (GHz)	i3 1215U: 1.2GHz i5 1235U: 1.3GHz i7 1255U: 1.7GHz
Maximum Frequency of CPU (GHz)	i3 1215U: 4.4GHz i5 1235U: 4.4GHz i7 1255U: 4.7GHz
Number of CPU Cores	i3 1215U: 6 i5 1235U: 10 i7 1255U: 10
Number of CPU Threads	i3 1215U: 8 i5 1235U: 12 i7 1255U: 12
GPU	Integrated Intel® UHD graphics
RAM	2*SODIMM DDR4
SSD	1*M.2 NVMe; 1*2.5" Hard disk SATA3.0
TOOLING	Iron metal case
I/O port	1*VGA,1*HDMI 2.0, 1*LAN RJ45, 4*USB2.0, 2*USB3.0 ;1* Microphone 3.5mm jack+1*Speaker jack; (optional 1*RS232 COM port) Expansion: 1*MPCIE for WiFi/Bluetooth
WirelessLAN/BT	WIFI5/Bluetooth 4.0
Network	1*RJ45 RTL8111 Gigabit interface
Camera	NO
Speaker	NO
Battery	NO
AcAdaptor	DC 5.5 12V5A~19v 3.4A
OS	Windows 10/11/Linux
Weight	0.9Kg
Dimension	195*195*40mm
Cooling system	Built-in fans

